

DH-PFC112FB

Back-up Heating Distribution Box



- IP54 rated.
- Includes a 57 V battery charger and a 53 V PoE switch power supply that it can be connected to.
- Built-in thermal insulation chamber and heating module that allow the device to be used in temperatures as low as -35° C.
- Only supports 7 Ah and 9 Ah storage batteries, and requires that 4 be installed.

Series Overview

The Distribution Box is crafted with premium quality material. Its protection level, functions and structure can all be flexibly customized to meet the demands of diverse scenes and installation environments.

Technical Specification

Function		
Input Voltage	180–264 VAC	
Input Current	4 A	
Output Voltage	PoE: 53 VDC ± 0.5 VDC Battery: 57 VDC ± 0.5 VDC	
Output Current	PoE: max 5 A; Battery: max 1.5 A	
Input Frequency	47 Hz—63 Hz	
Surge Protector	385 Vac/10 kA × 2 pcs	
Air Circuit Breaker (ACB)	230 Vac/32 A × 1 pcs	
DIN Rail	35 mm	
Material	SPCC, the thickness is 1.2 mm	
Heating & Heat Dissipation	Heating power: 200 W	
Fiber Optic Splice Tray	Yes	
Environment		
Operating Temperature	-35 °C to +50 °C (-31 °F to +122°F)	
Operating Humidity	0–95% (RH)	
Storage Temperature	-20 °C to +60 °C (-4 °F to +140 °F)	
Storage Humidity	0–95% (RH)	


Structure

Appearance Color	RAL7035 light grey	
Product Dimensions	500 mm × 240 mm × 640 mm (19.69" × 9.45" × 25.20")	
Packaging Dimensions	540 mm × 280 mm × 680 mm (21.26" × 11.02" × 26.77")	
Installation	Hose Clamp	
Pole Diameter	The diameter of the pole that the hose clamp will be installed on: $\Phi 130$ mm– $\Phi 240$ mm.	
Cable Hole	3	
Net Weight	24 kg (52.91 lb)	
Gross Weight	25 kg (55.12 lb)	
Accessory	M10 x 140 stainless steel outer hexagon bolts x 4 M10 stainless steel outer hexagon nuts x 8 M10 stainless steel spring washers x4 M10 stainless steel flat washers x 8 Hose clamps x 2 M25 cable gland x 3 User's manual x 1 Legal and regulatory information x 1	
Certifications		
Certifications	CE	

Ordering Information

Туре	Model	Description
Distribution box	DH-PFC112FB	Back-up Heating Distribution Box

Dimensions (mm[inch])



Rev 002.000 ©2024 Dahua. All rights reserved. Design and specifications are subject to change without notice Pictures in the document are for reference only, and the actual product shall prevail.