

---

**INFORMATION**

---

## **15.6" portable Full HD IPS monitor with USB-C, built-in speakers & leather cover**



Work anywhere with the iiyama ProLite P1670HSC-B1, a 15.6" portable Full HD IPS monitor weighing just 0.7 kg. Slim and light, it's ideal for travel, remote work, or hot-desking.


Quick to set up, it offers two viewing angles (45° or 60°) and a leather cover that protects the screen and doubles as a stand. Built-in speakers deliver clear audio for calls and media, removing the need for extra devices.

A USB-C cable handles the display signal from your laptop to the monitor, while the crisp panel, flicker-free technology, and blue light reduction ensure comfort and productivity all day.




### Travel light and stay productive anywhere

Take this 0.7 kg portable monitor with you and create a 15.6" Full HD dual-screen setup perfect for boosting productivity on the go.



### Adjust your view for better comfort

Choose between 45° and 60° viewing angles to reduce neck strain and find the most comfortable position for work or entertainment.



### Connect with ease, work in comfort

A USB-C cable transmits the display signal from your laptop to the monitor with ease. You never have to check which way to plug it in. The reversible connector fits perfectly every time so you can stay focused on what matters.



### Reduced eye strain & fatigue

Work, study or play longer without eye fatigue, thanks to flicker-free technology and reduced blue light emissions. These features help minimize eye strain and improve visual comfort, allowing you to stay focused and productive throughout the day.

## SPECIFICATION

### 01 DISPLAY CHARACTERISTICS

|                     |                                                                       |
|---------------------|-----------------------------------------------------------------------|
| Diagonal            | 15.6", 39.5cm                                                         |
| Panel               | IPS LED, matte finish                                                 |
| Native resolution   | 1920 x 1080 @60Hz (2.1 megapixel Full HD)                             |
| Aspect ratio        | 16:9                                                                  |
| Panel brightness    | 250 cd/m <sup>2</sup>                                                 |
| Static contrast     | 1000:1                                                                |
| Advanced contrast   | 5M:1                                                                  |
| Response time (GTG) | 3ms                                                                   |
| Viewing zone        | horizontal/vertical: 178°/178°, right/left: 89°/89°, up/down: 89°/89° |
| Colour support      | 16.7mIn (sRGB: 99%; NTSC: 72%)                                        |
| Horizontal Sync     | 15 - 82kHz                                                            |
| Viewable area W x H | 344.1 x 193.5mm, 13.5 x 7.6"                                          |
| Pixel pitch         | 0.17925mm                                                             |
| Colour              | matte, black                                                          |

### 02 INTERFACES / CONNECTORS / CONTROLS

|                     |                                                           |
|---------------------|-----------------------------------------------------------|
| Signal input        | Mini HDMI (Type-C) x1 (v.1.4)<br>USB-C x2 (v.3.1, PD 15W) |
| HDCP                | yes                                                       |
| Headphone connector | yes                                                       |

### 03 FEATURES

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flicker free          | yes                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Adaptive Sync support | yes                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Extra                 | leather cover                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| OSD languages         | EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL, UA                                                                                                                                                                                                                                                                                                                                                                                                    |
| Control buttons       | Power/ Signal Select/ Exit, Menu: Scroll Up/ Brightness, Scroll Down/ Volume                                                                                                                                                                                                                                                                                                                                                                  |
| User controls         | picture adjust (brightness, contrast, Eco, ACR, OD, X-Res technology, black tuner), colour settings (6-axis, i-Style colour, blue light reducer, gamma, colour temp.), OSD settings (H. position, V. position, OSD background, OSD time, OSD control, DDC/CI control, display information), language, miscellaneous (sharpness, video mode adjust, opening logo, power LED), input select, audio settings (volume, mute), recall (recall all) |
| Speakers              | 2 x 1W                                                                                                                                                                                                                                                                                                                                                                                                                                        |

### 04 MECHANICAL

|                              |                  |
|------------------------------|------------------|
| Display position adjustments | tilt             |
| Tilt angle                   | 60° up; 45° down |

## 05 ACCESSORIES INCLUDED

|        |                                 |
|--------|---------------------------------|
| Cables | USB-C (1.5m)                    |
| Other  | quick start guide, safety guide |

## 06 POWER MANAGEMENT


|                   |                                          |
|-------------------|------------------------------------------|
| Power supply unit | internal                                 |
| Power supply      | AC 100 - 240V, 50/60Hz                   |
| Power usage       | 8W typical, 0.5W stand by, 0.3W off mode |

## 07 SUSTAINABILITY


|                                                     |                                                                 |
|-----------------------------------------------------|-----------------------------------------------------------------|
| Regulations                                         | CE, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, VCCI, REACH, UKCA |
| Energy efficiency class (Regulation (EU) 2017/1369) | D                                                               |

## 08 DIMENSIONS / WEIGHT

|                                 |                    |
|---------------------------------|--------------------|
| Product dimensions<br>W x H x D | 355.5 x 211 x 12mm |
| Weight (without box)            | 0.7kg              |
| EAN code                        | 4948570126309      |







All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © **Iiyama Corporation. ALL RIGHTS RESERVED**